

Bootstrap 3 CSS Classes Desk Reference

1/9

Grid

Basic grid - full width is 12 columns wide

```
<!-- change .container to .container-fluid
to be full width -->
<div class="container">
  <!-- Columns are always 50% wide, on
  mobile and desktop -->
  <div class="row">
    <div class="col-xs-6">.col-xs-6</div>
    <div class="col-xs-6">.col-xs-6</div>
  </div>
  <!-- nested columns example -->
  <div class="row">
    <div class="col-xs-6">.col-xs-6</div>
    <div class="col-xs-6">.col-xs-6
      <div class="row">
        <div class="col-md-6">100% mobile 50%
        everywhere else</div>
        <div class="col-md-6">100% mobile 50%
        everywhere else</div>
      </div>
    </div>
  </div>
</div>
```

Media queries

```
/* Extra small devices (phones, less than
768px) No media query since this is the
default in Bootstrap */
/* small (tablets, 768px and up) */
@media (min-width: @screen-sm-min) { ... }
/* medium (desktops, 992px and up) */
@media (min-width: @screen-md-min) { ... }
/* large (large desktops, 1200px and up) */
@media (min-width: @screen-lg-min) { ... }
```

Text & Images

.text-left Left aligned text
.text-center Center aligned text
.text-right Right aligned text
.text-justify Justified text
.text-nowrap No wrap text
.text-lowercase Lowercase text
.text-uppercase Uppercase text
.text-capitalize Capitalized text
.lead Good for first paragraph of article
.list-unstyled Removes default list margin/padding
.list-inline Makes list items inline
.dl-horizontal Makes list items two columns
.img-responsive Make an image responsive
.img-rounded Adds rounded corners to image
.img-circle Crops image to be circle
.img-thumbnail Adds rounded corner and border to an image
.pull-left Floats item left
.pull-right Floats item right
.center-block Set an element to block with auto left and right margin
.clearfix Clear floats by adding this class to the parent container

Blockquote

```
<blockquote><p>Lorem ipsum dolor</p>
<footer>Someone famous in <cite
title="Source Title">Source Title</cite></
footer></blockquote>
```

Headings

```
<h1>h1. Bootstrap heading <small>Secondary
text</small></h1>
<p class="h1">Paragraph that looks like
heading</p>
```

Bootstrap 3 CSS Classes Desk Reference

2/9

Navbar

```
<!-- Fixed top navbar with brand as logo image tags -->
<nav class="navbar navbar-default navbar-fixed-top">
  <div class="container-fluid">
    <!-- Brand and toggle get grouped for better mobile display -->
    <div class="navbar-header">
      <button type="button" class="navbar-toggle collapsed" data-toggle="collapse" data-
target="#bs-example-navbar-collapse-1" aria-expanded="false">
        <span class="sr-only">Toggle navigation</span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </button>
      <a class="navbar-brand" href="#"></a>
    </div>
    <!-- Collect the nav links, forms, and other content for toggling -->
    <div class="collapse navbar-collapse" id="bs-example-navbar-collapse-1">
      <ul class="nav navbar-nav">
        <li class="active"><a href="#">Link <span class="sr-only">(current)</span></a></li>
        <li><a href="#">Link</a></li>
        <li class="dropdown">
          <a href="#" class="dropdown-toggle" data-toggle="dropdown" role="button" aria-
haspopup="true" aria-expanded="false">Dropdown <span class="caret"></span></a>
          <ul class="dropdown-menu">
            <li><a href="#">Action</a></li>
            <li role="separator" class="divider"></li>
            <li><a href="#">Separated link</a></li>
          </ul>
        </li>
      </ul>
    </div><!-- /.navbar-collapse -->
  </div><!-- /.container-fluid -->
</nav>
```

Forms

```
<form>
  <div class="form-group">
    <label for="exampleInputEmail1">Email address</label>
    <input type="email" class="form-control" id="exampleInputEmail1" placeholder="Email">
  </div>
  <div class="form-group">
    <label for="exampleInputPassword1">Password</label>
    <input type="password" class="form-control" id="exampleInputPassword1"
placeholder="Password">
  </div>
  <div class="form-group">
    <label for="exampleInputFile">File input</label>
    <input type="file" id="exampleInputFile">
    <p class="help-block">Example block-level help text here.</p>
  </div>
  <div class="checkbox">
    <label>
      <input type="checkbox"> Check me out
    </label>
  </div>
  <button type="submit" class="btn btn-default">Submit</button>
</form>
```

Buttons

.btn Needs to be added to all buttons because it adds padding and margin

.btn-default The default button style

.btn-primary The button that has the primary action in a group

.btn-success Could be used on the last submit button in a form

.btn-info Informational button

.btn-link Removes background color and add text color

.btn-lg Large button

.btn-sm Smaller than default button

.btn-xs Even smaller

.btn-block Button that spans full width of parent

```
<a class="btn btn-default"
href="#" role="button">Link</a>
<button class="btn btn-primary"
type="submit">Button</button>
```

Carousel

```
<div id="carousel-example-generic" class="carousel slide" data-ride="carousel">
  <!-- Indicators -->
  <ol class="carousel-indicators">
    <li data-target="#carousel-example-generic" data-slide-to="0" class="active"></li>
    <li data-target="#carousel-example-generic" data-slide-to="1"></li>
  </ol>
  <!-- Wrapper for slides -->
  <div class="carousel-inner" role="listbox">
    <div class="item active">
      
      <div class="carousel-caption">
        ...
      </div>
    </div>
    <div class="item">
      
      <div class="carousel-caption">
        ...
      </div>
    </div>
    ...
  </div>
  <!-- Controls -->
  <a class="left carousel-control" href="#carousel-example-generic" role="button" data-slide="prev">
    <span class="glyphicon glyphicon-chevron-left" aria-hidden="true"></span>
    <span class="sr-only">Previous</span>
  </a>
  <a class="right carousel-control" href="#carousel-example-generic" role="button" data-slide="next">
    <span class="glyphicon glyphicon-chevron-right" aria-hidden="true"></span>
    <span class="sr-only">Next</span>
  </a>
</div>
```

Jumbotron

```
<div class="jumbotron">
  <h1>Hello, world!</h1>
  <p>...</p>
  <p><a class="btn btn-primary btn-lg" href="#" role="button">Learn more</a></p>
</div>
```

To make the jumbotron full width, and without rounded corners, place it outside all .containers and instead add a .container within.

```
<div class="jumbotron">
  <div class="container">
    ...
  </div>
</div>
```

Page header

```
<div class="page-header">
  <h1>Example page header <small>Subtext for header</small></h1>
</div>
```

Breadcrumbs

```
<ol class="breadcrumb">
  <li><a href="#">Home</a></li>
  <li><a href="#">Library</a></li>
  <li class="active">Data</li>
</ol>
```

Responsive embed

```
<!-- 16:9 aspect ratio - change aspect ratio by replacing 16by9 with 4by3 -->
<div class="embed-responsive embed-responsive-16by9">
  <iframe class="embed-responsive-item" src="..."></iframe>
</div>
```

Tables

```
<!-- Responsive table with all of the options applied -->
<div class="table-responsive">
  <table class="table table-condensed table-hover table-bordered table-striped">
    <tr class="active">...</tr>
    <tr>
      <td class="info">...</td>
    </tr>
  </table>
</div>
```

Alphabetical Index of CSS Classes

<code>.active</code>	<code>.btn-danger</code>	<code>.center-block</code>
<code>.affix</code>	<code>.btn-default</code>	<code>.checkbox</code>
<code>.alert</code>	<code>.btn-group</code>	<code>.checkbox-inline</code>
<code>.alert-danger</code>	<code>.btn-group-justified</code>	<code>.close</code>
<code>.alert-dismissable</code>	<code>.btn-group-vertical</code>	<code>.col-lg-* /*(1-12)*/</code>
<code>.alert-info</code>	<code>.btn-info</code>	<code>.col-lg-offset-* /*(0-12)*/</code>
<code>.alert-link</code>	<code>.btn-link</code>	<code>.col-lg-pull-* /*(0-12)*/</code>
<code>.alert-success</code>	<code>.btn-primary</code>	<code>.col-lg-push-* /*(0-12)*/</code>
<code>.alert-warning</code>	<code>.btn-sm</code>	<code>.col-md-* /*(1-12)*/</code>
<code>.arrow</code>	<code>.btn-success</code>	<code>.col-md-offset-* /*(0-12)*/</code>
<code>.badge</code>	<code>.btn-toolbar</code>	<code>.col-md-pull-* /*(0-12)*/</code>
<code>.bg-danger</code>	<code>.btn-warning</code>	<code>.col-md-push-* /*(0-12)*/</code>
<code>.bg-info</code>	<code>.btn-xs</code>	<code>.col-sm-* /*(1-12)*/</code>
<code>.bg-primary</code>	<code>.caption</code>	<code>.col-sm-offset-* /*(0-12)*/</code>
<code>.bg-success</code>	<code>.caret</code>	<code>.col-sm-pull-* /*(0-12)*/</code>
<code>.bg-warning</code>	<code>.carousel</code>	<code>.col-sm-push-* /*(0-12)*/</code>
<code>.bottom</code>	<code>.carousel-caption</code>	<code>.col-xs-* /*(1-12)*/</code>
<code>.breadcrumb</code>	<code>.carousel-control</code>	<code>.col-xs-offset-* /*(0-12)*/</code>
<code>.btn</code>	<code>.carousel-indicators</code>	<code>.col-xs-pull-* /*(0-12)*/</code>
<code>.btn-block</code>	<code>.carousel-inner</code>	<code>.col-xs-push-* /*(0-12)*/</code>

Bootstrap 3 CSS Classes Desk Reference

7/9

<code>.collapse</code>	<code>.hidden-lg</code>	<code>.list-group-item-danger</code>
<code>.collapsing</code>	<code>.hidden-md</code>	<code>.list-group-item-heading</code>
<code>.container</code>	<code>.hidden-print</code>	<code>.list-group-item-info</code>
<code>.container-fluid</code>	<code>.hidden-sm</code>	<code>.list-group-item-success</code>
<code>.control-label</code>	<code>.hidden-xs</code>	<code>.list-group-item-text</code>
<code>.divider</code>	<code>.hide</code>	<code>.list-group-item-warning</code>
<code>.dropdown</code>	<code>.icon-bar</code>	<code>.list-inline</code>
<code>.dropdown-backdrop</code>	<code>.icon-next</code>	<code>.list-unstyled</code>
<code>.dropdown-header</code>	<code>.icon-prev</code>	<code>.mark</code>
<code>.dropdown-menu</code>	<code>.img-circle</code>	<code>.media</code>
<code>.dropdown-menu-left</code>	<code>.img-rounded</code>	<code>.media-body</code>
<code>.dropdown-menu-right</code>	<code>.img-thumbnail</code>	<code>.media-heading</code>
<code>.dropdown-toggle</code>	<code>.in</code>	<code>.media-list</code>
<code>.embed-responsive</code>	<code>.initialism</code>	<code>.media-object</code>
<code>.embed-responsive-16by9</code>	<code>.input-group</code>	<code>.modal</code>
<code>.embed-responsive-4by3</code>	<code>.input-group-addon</code>	<code>.modal-backdrop</code>
<code>.fade</code>	<code>.input-group-btn</code>	<code>.modal-body</code>
<code>.form-control</code>	<code>.input-lg</code>	<code>.modal-content</code>
<code>.form-control-feedback</code>	<code>.input-sm</code>	<code>.modal-dialog</code>
<code>.form-control-static</code>	<code>.invisible</code>	<code>.modal-footer</code>
<code>.form-group</code>	<code>.item</code>	<code>.modal-header</code>
<code>.glyphicon</code>	<code>.jumbotron</code>	<code>.modal-lg</code>
<code>.glyphicon-chevron-left</code>	<code>.label</code>	<code>.modal-open</code>
<code>.glyphicon-chevron-right</code>	<code>.label-danger</code>	<code>.modal-scrollbar-measure</code>
<code>.h1</code>	<code>.label-default</code>	<code>.modal-sm</code>
<code>.h2</code>	<code>.label-info</code>	<code>.modal-title</code>
<code>.h3</code>	<code>.label-primary</code>	<code>.nav</code>
<code>.h4</code>	<code>.label-success</code>	<code>.nav-divider</code>
<code>.h5</code>	<code>.label-warning</code>	<code>.nav-justified</code>
<code>.h6</code>	<code>.lead</code>	<code>.nav-tabs</code>
<code>.has-feedback</code>	<code>.left</code>	<code>.nav-tabs-justified</code>
<code>.help-block</code>	<code>.list-group</code>	<code>.navbar</code>
<code>.hidden</code>	<code>.list-group-item</code>	<code>.navbar-brand</code>

Bootstrap 3 CSS Classes Desk Reference

8/9

<code>.navbar-btn</code>	<code>.popover-title</code>	<code>.text-success</code>
<code>.navbar-collapse</code>	<code>.pre-scrollable</code>	<code>.text-uppercase</code>
<code>.navbar-default</code>	<code>.prev</code>	<code>.text-warning</code>
<code>.navbar-fixed-bottom</code>	<code>.progress</code>	<code>.thumbnail</code>
<code>.navbar-fixed-top</code>	<code>.progress-bar</code>	<code>.tooltip</code>
<code>.navbar-form</code>	<code>.progress-bar-danger</code>	<code>.tooltip-arrow</code>
<code>.navbar-header</code>	<code>.progress-bar-info</code>	<code>.tooltip-inner</code>
<code>.navbar-inverse</code>	<code>.progress-bar-striped</code>	<code>.top</code>
<code>.navbar-left</code>	<code>.progress-bar-success</code>	<code>.visible-lg</code>
<code>.navbar-link</code>	<code>.progress-bar-warning</code>	<code>.visible-lg-block</code>
<code>.navbar-nav</code>	<code>.pull-left</code>	<code>.visible-lg-inline</code>
<code>.navbar-right</code>	<code>.pull-right</code>	<code>.visible-lg-inline-block</code>
<code>.navbar-static-top</code>	<code>.right</code>	<code>.visible-md</code>
<code>.navbar-text</code>	<code>.row</code>	<code>.visible-md-block</code>
<code>.navbar-toggle</code>	<code>.show</code>	<code>.visible-md-inline</code>
<code>.next</code>	<code>.small</code>	<code>.visible-md-inline-block</code>
<code>.page-header</code>	<code>.sr-only</code>	<code>.visible-print</code>
<code>.pager</code>	<code>.tab-pane</code>	<code>.visible-print-block</code>
<code>.pagination</code>	<code>.table</code>	<code>.visible-print-inline</code>
<code>.panel</code>	<code>.table-bordered</code>	<code>.visible-print-inline-block</code>
<code>.panel-body</code>	<code>.table-responsive</code>	<code>.visible-sm</code>
<code>.panel-danger</code>	<code>.text-capitalize</code>	<code>.visible-sm-block</code>
<code>.panel-default</code>	<code>.text-center</code>	<code>.visible-sm-inline</code>
<code>.panel-footer</code>	<code>.text-danger</code>	<code>.visible-sm-inline-block</code>
<code>.panel-group</code>	<code>.text-hide</code>	<code>.visible-xs</code>
<code>.panel-heading</code>	<code>.text-info</code>	<code>.visible-xs-block</code>
<code>.panel-info</code>	<code>.text-justify</code>	<code>.visible-xs-inline</code>
<code>.panel-primary</code>	<code>.text-left</code>	<code>.visible-xs-inline-block</code>
<code>.panel-success</code>	<code>.text-lowercase</code>	<code>.well</code>
<code>.panel-title</code>	<code>.text-muted</code>	<code>.well-lg</code>
<code>.panel-warning</code>	<code>.text-nowrap</code>	<code>.well-sm</code>
<code>.popover</code>	<code>.text-primary</code>	
<code>.popover-content</code>	<code>.text-right</code>	

Quickly Learn Bootstrap 4

A learn by doing approach.



Build a CMS dashboard and homepage.

The goal of this ebook is to introduce you to the most used components and how to reference the official documentation. You will build two page layouts so you can quickly visualize how you start a new project from scratch. Follow along step by step as you copy and paste the necessary code to build a homepage and CMS backend admin area. You will become familiar with common components, grid structure, grid nesting, and navbar.



[Download Sample Chapter](#)

- **Build two real world examples.** Follow along step-by-step to build a web application dashboard and homepage for a services business.
- **Always up to date.** Receive free book updates for each minor version release and a discount for major versions.
- **Windows 10 PC screenshots and instructions.** Have confidence knowing the tools and instructions will work on your machine.